



NHANES 1999-2000 Data Release
Frequency Distribution for Osteoporosis Section of the SP Questionnaire
(OSQ.XPT)
July 2006

Broken or fractured a hip				
OSQ010a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1 : Yes	81	1.66	81	1.66
2 : No	4791	98.18	4872	99.84
7 : Refused	3	0.06	4875	99.90
9 : Don't know	5	0.10	4880	100.00



NHANES 1999-2000 Data Release
Frequency Distribution for Osteoporosis Section of the SP Questionnaire
(OSQ.XPT)
July 2006

Broken or fractured a wrist				
OSQ010b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1 : Yes	389	7.97	389	7.97
2 : No	4482	91.84	4871	99.82
7 : Refused	3	0.06	4874	99.88
9 : Don't know	6	0.12	4880	100.00



NHANES 1999-2000 Data Release
Frequency Distribution for Osteoporosis Section of the SP Questionnaire
(OSQ.XPT)
July 2006

Broken or fractured spine				
OSQ010c	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1 : Yes	92	1.89	92	1.89
2 : No	4781	97.97	4873	99.86
7 : Refused	3	0.06	4876	99.92
9 : Don't know	4	0.08	4880	100.00



NHANES 1999-2000 Data Release
Frequency Distribution for Osteoporosis Section of the SP Questionnaire
(OSQ.XPT)
July 2006

# Times broken/fractured hip				
OSQ020a	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	4799	98.34	4799	98.34
1 to 3	79	1.62	4878	99.96
9999 : Don't know	2	0.04	4880	100.00



NHANES 1999-2000 Data Release
Frequency Distribution for Osteoporosis Section of the SP Questionnaire
(OSQ.XPT)
July 2006

# Times broken/fractured wrist				
OSQ020b	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	4491	92.03	4491	92.03
1 to 10	387	7.93	4878	99.96
9999 : Don't know	2	0.04	4880	100.00



NHANES 1999-2000 Data Release
Frequency Distribution for Osteoporosis Section of the SP Questionnaire
(OSQ.XPT)
July 2006

# Times broken/fractured spine				
OSQ020c	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	4788	98.11	4788	98.11
1 to 5	91	1.86	4879	99.98
9999 : Don't know	1	0.02	4880	100.00



NHANES 1999-2000 Data Release
Frequency Distribution for Osteoporosis Section of the SP Questionnaire
(OSQ.XPT)
July 2006

Age when fractured hip 1st time				
OSD030aa	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	4801	98.38	4801	98.38
9 to 84	72	1.48	4873	99.86
85 : 85 or older	5	0.10	4878	99.96
99999 : Don't know	2	0.04	4880	100.00



NHANES 1999-2000 Data Release
Frequency Distribution for Osteoporosis Section of the SP Questionnaire
(OSQ.XPT)
July 2006

Under/over 50 when fracd. hip 1st time				
OSQ040aa	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	4801	98.38	4801	98.38
1 : Under 50 years old, or	34	0.70	4835	99.08
2 : 50 years old or older?	44	0.90	4879	99.98
9 : Don't know	1	0.02	4880	100.00



NHANES 1999-2000 Data Release
Frequency Distribution for Osteoporosis Section of the SP Questionnaire
(OSQ.XPT)
July 2006

Reason hip fracture occurred 1st time				
OSQ050aa	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	4836	99.10	4836	99.10
1 : A fall from standing height or less, for example, tripped, slipped, fell out of bed	27	0.55	4863	99.65
2 : A hard fall, such as falling off a ladder or step stool, down stairs	9	0.18	4872	99.84
3 : A car accident or other severe trama	5	0.10	4877	99.94
9 : Don't know	3	0.06	4880	100.00



NHANES 1999-2000 Data Release
Frequency Distribution for Osteoporosis Section of the SP Questionnaire
(OSQ.XPT)
July 2006

Age when fractured hip 2nd time				
OSD030ab	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	4871	99.82	4871	99.82
12 to 81	7	0.14	4878	99.96
85 : 85 or older	2	0.04	4880	100.00



NHANES 1999-2000 Data Release
Frequency Distribution for Osteoporosis Section of the SP Questionnaire
(OSQ.XPT)
July 2006

Under/over 50 when fracd. hip 2nd time				
OSQ040ab	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	4871	99.82	4871	99.82
1 : Under 50 years old, or	3	0.06	4874	99.88
2 : 50 years old or older?	6	0.12	4880	100.00



NHANES 1999-2000 Data Release
Frequency Distribution for Osteoporosis Section of the SP Questionnaire
(OSQ.XPT)
July 2006

Reason hip fracture occurred 2nd time				
OSQ050ab	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	4874	99.88	4874	99.88
1 : A fall from standing height or less, for example, tripped, slipped, fell out of bed	4	0.08	4878	99.96
2 : A hard fall, such as falling off a ladder or step stool, down stairs	1	0.02	4879	99.98
3 : A car accident or other severe trauma	1	0.02	4880	100.00



NHANES 1999-2000 Data Release
Frequency Distribution for Osteoporosis Section of the SP Questionnaire
(OSQ.XPT)
July 2006

Age when fractured hip 3rd time				
OSD030ac	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	4879	99.98	4879	99.98
21	1	0.02	4880	100.00



NHANES 1999-2000 Data Release
Frequency Distribution for Osteoporosis Section of the SP Questionnaire
(OSQ.XPT)
July 2006

Under/over 50 when fracd. hip 3rd time				
OSQ040ac	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	4879	99.98	4879	99.98
1 : Under 50 years old, or	1	0.02	4880	100.00



NHANES 1999-2000 Data Release

**Frequency Distribution for Osteoporosis Section of the SP Questionnaire
(OSQ.XPT)
July 2006**

Age when fractured wrist 1st time				
OSD030ba	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	4493	92.07	4493	92.07
2 to 84	383	7.85	4876	99.92
85 : 85 or older	2	0.04	4878	99.96
99999 : Don't know	2	0.04	4880	100.00



NHANES 1999-2000 Data Release

**Frequency Distribution for Osteoporosis Section of the SP Questionnaire
(OSQ.XPT)
July 2006**

Under/over 50 when fracd. wrist 1st time				
OSQ040ba	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	4493	92.07	4493	92.07
1 : Under 50 years old, or	311	6.37	4804	98.44
2 : 50 years old or older?	76	1.56	4880	100.00



NHANES 1999-2000 Data Release
Frequency Distribution for Osteoporosis Section of the SP Questionnaire
(OSQ.XPT)
July 2006

Reason wrist fracture occurred 1st time				
OSQ050ba	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	4804	98.44	4804	98.44
1 : A fall from standing height or less, for example, tripped, slipped, fell out of bed	38	0.78	4842	99.22
2 : A hard fall, such as falling off a ladder or step stool, down stairs	30	0.61	4872	99.84
3 : A car accident or other severe trauma	7	0.14	4879	99.98
9 : Don't know	1	0.02	4880	100.00



NHANES 1999-2000 Data Release
Frequency Distribution for Osteoporosis Section of the SP Questionnaire
(OSQ.XPT)
July 2006

Age when fractured wrist 2nd time				
OSD030bb	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	4816	98.69	4816	98.69
7 to 82	63	1.29	4879	99.98
99999 : Don't know	1	0.02	4880	100.00



NHANES 1999-2000 Data Release

**Frequency Distribution for Osteoporosis Section of the SP Questionnaire
(OSQ.XPT)
July 2006**

Under/over 50 when fracd. wrist 2nd time				
OSQ040bb	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	4816	98.69	4816	98.69
1 : Under 50 years old, or	46	0.94	4862	99.63
2 : 50 years old or older?	18	0.37	4880	100.00



NHANES 1999-2000 Data Release
Frequency Distribution for Osteoporosis Section of the SP Questionnaire
(OSQ.XPT)
July 2006

Reason wrist fracture occurred 2nd time				
OSQ050bb	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	4862	99.63	4862	99.63
1 : A fall from standing height or less, for example, tripped, slipped, fell out of bed	10	0.20	4872	99.84
2 : A hard fall, such as falling off a ladder or step stool, down stairs	7	0.14	4879	99.98
3 : A car accident or other severe trama	1	0.02	4880	100.00



NHANES 1999-2000 Data Release
Frequency Distribution for Osteoporosis Section of the SP Questionnaire
(OSQ.XPT)
July 2006

Age when fractured wrist 3rd time				
OSD030bc	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	4865	99.69	4865	99.69
8 to 65	14	0.29	4879	99.98
99999 : Don't know	1	0.02	4880	100.00



NHANES 1999-2000 Data Release
Frequency Distribution for Osteoporosis Section of the SP Questionnaire
(OSQ.XPT)
July 2006

Under/over 50 when fracd. wrist 3rd time				
OSQ040bc	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	4865	99.69	4865	99.69
1 : Under 50 years old, or	13	0.27	4878	99.96
2 : 50 years old or older?	2	0.04	4880	100.00



NHANES 1999-2000 Data Release
Frequency Distribution for Osteoporosis Section of the SP Questionnaire
(OSQ.XPT)
July 2006

Reason wrist fracture occurred 3rd time				
OSQ050bc	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	4878	99.96	4878	99.96
1 : A fall from standing height or less, for example, tripped, slipped, fell out of bed	1	0.02	4879	99.98
3 : A car accident or other severe truma	1	0.02	4880	100.00



NHANES 1999-2000 Data Release
Frequency Distribution for Osteoporosis Section of the SP Questionnaire
(OSQ.XPT)
July 2006

Age when fractured wrist 4th time				
OSD030bd	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	4872	99.84	4872	99.84
13 to 79	7	0.14	4879	99.98
99999 : Don't know	1	0.02	4880	100.00



NHANES 1999-2000 Data Release
Frequency Distribution for Osteoporosis Section of the SP Questionnaire
(OSQ.XPT)
July 2006

Under/over 50 when fracd. wrist 4th time				
OSQ040bd	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	4872	99.84	4872	99.84
1 : Under 50 years old, or	7	0.14	4879	99.98
2 : 50 years old or older?	1	0.02	4880	100.00



NHANES 1999-2000 Data Release
Frequency Distribution for Osteoporosis Section of the SP Questionnaire
(OSQ.XPT)
July 2006

Reason wrist fracture occurred 4th time				
OSQ050bd	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	4879	99.98	4879	99.98
1 : A fall from standing height or less, for example, tripped, slipped, fell out of bed	1	0.02	4880	100.00



NHANES 1999-2000 Data Release
Frequency Distribution for Osteoporosis Section of the SP Questionnaire
(OSQ.XPT)
July 2006

Age when fractured wrist 5th time				
OSD030be	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	4877	99.94	4877	99.94
16 to 18	2	0.04	4879	99.98
99999 : Don't know	1	0.02	4880	100.00



NHANES 1999-2000 Data Release
Frequency Distribution for Osteoporosis Section of the SP Questionnaire
(OSQ.XPT)
July 2006

Under/over 50 when fracd. wrist 5th time				
OSQ040be	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	4877	99.94	4877	99.94
1 : Under 50 years old, or	3	0.06	4880	100.00



NHANES 1999-2000 Data Release
Frequency Distribution for Osteoporosis Section of the SP Questionnaire
(OSQ.XPT)
July 2006

Age when fractured wrist 6th time				
OSD030bf	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	4877	99.94	4877	99.94
16 to 23	2	0.04	4879	99.98
99999 : Don't know	1	0.02	4880	100.00



NHANES 1999-2000 Data Release
Frequency Distribution for Osteoporosis Section of the SP Questionnaire
(OSQ.XPT)
July 2006

Under/over 50 when fracd. wrist 6th time				
OSQ040bf	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	4877	99.94	4877	99.94
1 : Under 50 years old, or	3	0.06	4880	100.00



NHANES 1999-2000 Data Release
Frequency Distribution for Osteoporosis Section of the SP Questionnaire
(OSQ.XPT)
July 2006

Age when fractured wrist 7th time				
OSD030bg	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	4878	99.96	4878	99.96
17 to 34	2	0.04	4880	100.00



NHANES 1999-2000 Data Release
Frequency Distribution for Osteoporosis Section of the SP Questionnaire
(OSQ.XPT)
July 2006

Under/over 50 when fracd. wrist 7th time				
OSQ040bg	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	4878	99.96	4878	99.96
1 : Under 50 years old, or	2	0.04	4880	100.00



NHANES 1999-2000 Data Release
Frequency Distribution for Osteoporosis Section of the SP Questionnaire
(OSQ.XPT)
July 2006

Age when fractured wrist 8th time				
OSD030bh	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	4879	99.98	4879	99.98
17	1	0.02	4880	100.00



NHANES 1999-2000 Data Release

**Frequency Distribution for Osteoporosis Section of the SP Questionnaire
(OSQ.XPT)
July 2006**

Under/over 50 when fracd. wrist 8th time				
OSQ040bh	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	4879	99.98	4879	99.98
1 : Under 50 years old, or	1	0.02	4880	100.00



NHANES 1999-2000 Data Release
Frequency Distribution for Osteoporosis Section of the SP Questionnaire
(OSQ.XPT)
July 2006

Age when fractured wrist 9th time				
OSD030bi	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	4879	99.98	4879	99.98
18	1	0.02	4880	100.00



NHANES 1999-2000 Data Release

**Frequency Distribution for Osteoporosis Section of the SP Questionnaire
(OSQ.XPT)
July 2006**

Under/over 50 when fracd. wrist 9th time				
OSQ040bi	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	4879	99.98	4879	99.98
1 : Under 50 years old, or	1	0.02	4880	100.00



NHANES 1999-2000 Data Release
Frequency Distribution for Osteoporosis Section of the SP Questionnaire
(OSQ.XPT)
July 2006

Age when fractured wrist 10th time				
OSD030bj	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	4879	99.98	4879	99.98
18	1	0.02	4880	100.00



NHANES 1999-2000 Data Release

**Frequency Distribution for Osteoporosis Section of the SP Questionnaire
(OSQ.XPT)
July 2006**

Under/over 50 when fracd wrist 10th time				
OSQ040bj	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	4879	99.98	4879	99.98
1 : Under 50 years old, or	1	0.02	4880	100.00



NHANES 1999-2000 Data Release

**Frequency Distribution for Osteoporosis Section of the SP Questionnaire
(OSQ.XPT)
July 2006**

Age when fractured spine 1st time				
OSD030ca	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	4789	98.14	4789	98.14
1 to 76	88	1.80	4877	99.94
99999 : Don't know	3	0.06	4880	100.00



NHANES 1999-2000 Data Release
Frequency Distribution for Osteoporosis Section of the SP Questionnaire
(OSQ.XPT)
July 2006

Under/over 50 when fracd. spine 1st time				
OSQ040ca	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	4789	98.14	4789	98.14
1 : Under 50 years old, or	71	1.45	4860	99.59
2 : 50 years old or older?	19	0.39	4879	99.98
9 : Don't know	1	0.02	4880	100.00



NHANES 1999-2000 Data Release
Frequency Distribution for Osteoporosis Section of the SP Questionnaire
(OSQ.XPT)
July 2006

Reason spine fracture occurred 1st time				
OSQ050ca	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	4861	99.61	4861	99.61
1 : A fall from standing height or less, for example, tripped, slipped, fell out of bed	3	0.06	4864	99.67
2 : A hard fall, such as falling off a ladder or step stool, down stairs	8	0.16	4872	99.84
3 : A car accident or other severe trama	6	0.12	4878	99.96
9 : Don't know	2	0.04	4880	100.00



NHANES 1999-2000 Data Release
Frequency Distribution for Osteoporosis Section of the SP Questionnaire
(OSQ.XPT)
July 2006

Age when fractured spine 2nd time				
OSD030cb	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	4873	99.86	4873	99.86
9 to 53	7	0.14	4880	100.00



NHANES 1999-2000 Data Release
Frequency Distribution for Osteoporosis Section of the SP Questionnaire
(OSQ.XPT)
July 2006

Under/over 50 when fracd. spine 2nd time				
OSQ040cb	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	4873	99.86	4873	99.86
1 : Under 50 years old, or	6	0.12	4879	99.98
2 : 50 years old or older?	1	0.02	4880	100.00



NHANES 1999-2000 Data Release
Frequency Distribution for Osteoporosis Section of the SP Questionnaire
(OSQ.XPT)
July 2006

Reason spine fracture occurred 2nd time				
OSQ050cb	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	4879	99.98	4879	99.98
1 : A fall from standing height or less, for example, tripped, slipped, fell out of bed	1	0.02	4880	100.00



NHANES 1999-2000 Data Release
Frequency Distribution for Osteoporosis Section of the SP Questionnaire
(OSQ.XPT)
July 2006

Age when fractured spine 3rd time				
OSD030cc	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	4878	99.96	4878	99.96
32 to 49	2	0.04	4880	100.00



NHANES 1999-2000 Data Release

**Frequency Distribution for Osteoporosis Section of the SP Questionnaire
(OSQ.XPT)
July 2006**

Under/over 50 when fracd. spine 3rd time				
OSQ040cc	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	4878	99.96	4878	99.96
1 : Under 50 years old, or	2	0.04	4880	100.00



NHANES 1999-2000 Data Release
Frequency Distribution for Osteoporosis Section of the SP Questionnaire
(OSQ.XPT)
July 2006

Age when fractured spine 4th time				
OSD030cd	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	4879	99.98	4879	99.98
99999 : Don't know	1	0.02	4880	100.00



NHANES 1999-2000 Data Release
Frequency Distribution for Osteoporosis Section of the SP Questionnaire
(OSQ.XPT)
July 2006

Under/over 50 when fracd. spine 4th time				
OSQ040cd	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	4879	99.98	4879	99.98
1 : Under 50 years old, or	1	0.02	4880	100.00



NHANES 1999-2000 Data Release
Frequency Distribution for Osteoporosis Section of the SP Questionnaire
(OSQ.XPT)
July 2006

Age when fractured spine 5th time				
OSD030ce	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	4879	99.98	4879	99.98
99999 : Don't know	1	0.02	4880	100.00



NHANES 1999-2000 Data Release
Frequency Distribution for Osteoporosis Section of the SP Questionnaire
(OSQ.XPT)
July 2006

Under/over 50 when fracd. spine 5th time				
OSQ040ce	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	4879	99.98	4879	99.98
1 : Under 50 years old, or	1	0.02	4880	100.00



NHANES 1999-2000 Data Release
Frequency Distribution for Osteoporosis Section of the SP Questionnaire
(OSQ.XPT)
July 2006

Ever told had osteoporosis/brittle bones				
OSQ060	Frequency	Percent	Cumulative Frequency	Cumulative Percent
1 : Yes	179	3.67	179	3.67
2 : No	4687	96.05	4866	99.71
7 : Refused	3	0.06	4869	99.77
9 : Don't know	11	0.23	4880	100.00



NHANES 1999-2000 Data Release
Frequency Distribution for Osteoporosis Section of the SP Questionnaire
(OSQ.XPT)
July 2006

Ever treated for osteoporosis				
OSQ070	Frequency	Percent	Cumulative Frequency	Cumulative Percent
Missing	4701	96.33	4701	96.33
1 : Yes	120	2.46	4821	98.79
2 : No	54	1.11	4875	99.90
9 : Don't know	5	0.10	4880	100.00